

Work Order ID 115158

Monday, March 17, 2014 2:49:13 PM

115158

Page 1

Item ID: D3552-23

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Door Prop

Start Date: 3/17/14

Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/17/14

Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan: 

Date: 14-03-19

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3552

K

100

0.00

100

Purchasing

PURCHASING

Memo

0.00

Purchasing

Issue P/O: 23465

Purchase Part Number: B6-190-475-070N

Supplier: LS Technologies

Certificate of conformity is required

CX 14/03/21 20

110

0.00

110

Packaging

Receive & Inspect for Damage & Mat'l Certs

Memo

0.00

Packaging

Ensure certificate of conformity is attached

20x SP14-3-26

120

0.00

120

QC

QC6- Inspect dimensions to drawing

Memo

0.00

Quality Control

Test for correct pressure

DAS
27
9-89

14/3/26

20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="width:25%;">Skid-tube <input type="checkbox"/></td> <td style="width:25%;">Crosstube <input type="checkbox"/></td> <td style="width:25%;">Water Jet <input type="checkbox"/></td> <td style="width:25%;">Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other _____ _____ _____
--	--	---	---

Work Order ID 115158

Monday, March 17, 2014 2:49:13 PM

115158

Page 2

Item ID: D3552-23

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Door Prop

Start Date: 3/17/14 Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/17/14 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

14/3/20 (20) DAS 32 9-89

14-03-31
NF 14-3-28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>
--	--	---

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence
		<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

D3552-103 BALL SOCKET END REF

D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27 DOOR PROP REF

D3552-103 BALL SOCKET END REF


D3552-1/-3/-5 DOOR PROP REF

D3552-101 CLIP REF

D3552-101 CLIP REF

RELEASED
2012-07-24

K	ADD "X" TO LS TECHNOLOGIES P/Ns TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-19/-25/-27; REASON: PART12-209.	MB	12.07.16
J	ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -19. STROKE FOR -15, -17 AND -19 WAS 1306, 06 NOW 154, 06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 386/15.2 NOW 387/15.2	AP	11.12.07
I	ADD P/N D3552-23	RF	11.10.11
H	ADD P/N D3552-21	DC	11.03.10
G	FOR -15, FORCE: 300/67.4 WAS 400/89.8, SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 1395.47 WAS 1806.30, 06 NOW 154, 06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 386/15.2 WAS B8-167-408-15N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.06.01
B	ADD D3552-7/-8; UPDATE DESC. D3552-11-3/-5	LE	06.10.24
A	NEW ISSUE	LE	06.09.15
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>JE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3552 REV. K SHEET 1 OF 2 TITLE DOOR PROP SCALE NTS DATE 12.07.16	
DRAWN	<i>BM</i>		
CHECKED	<i>BM</i>		
MFG. APPR.	<i>BM</i>		
APPROVED	<i>BM</i>		
DE APPR.	<i>BM</i>	COPYRIGHT © 2006 BY DART AEROSPACE LTD	
THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR ANY PURPOSE OR COPIES OR REPRODUCED IN ANY OTHER MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N
D3552-15	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300NX
D3552-17	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156NX
D3552-19	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060NX
D3552-21	DOOR PROP	167/6.57	410/16.1	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-167-410-070N
D3552-23	DOOR PROP	190/7.48	475/18.7	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-070N
D3552-25	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-300NX
D3552-27	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-156NX
2 D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9
3 D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10

D3552-X DOOR PROP

RELEASED
2012-07-24

NOTES:

- 1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27 DOOR PROPS

DESIGN	DE	DART AEROSPACE LTD	
DRAWN	DE	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DE	DRAWING NO.	REV. K
MFG. APPR.	DE	D3552	SHEET 2 OF 2
APPROVED	DE	TITLE	SCALE
DE APPR.	DE	DOOR PROP	NTS
DATE	12.07.16	<small>COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

LS TECHNOLOGIES INC

Saskatoon, SK S7N 1Y6
Saskatoon, SK S7N 1Y6

Ph # (306) 683-5000

Packing Slip

P.O. No.	Date	Invoice #
23465	3/24/2014	10945

Name / Address
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship To
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship	Via	FOB
3/24/2014	Fed-Ex	

Qty	Description
20	D3969-3 B110088 Stainless Gas Spring Rev. C (SSA4/8-122-310-360N)
20	D3552-23 B115158 Gas Spring Rev. K (B6-190-475-070N)
Shipping Via FED EX Tracking # 798318939621	
SP14-3-24	



LS Technologies Inc

314 Jessop Ave

Saskatoon, SK, S7N 1Y6

Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Conformance

March 24, 2014

This is to certify that the parts listed below meets specifications as required by your order.

D3969-3 B110088 Stainless Gas Spring Rev. C (SSA4/8-122-310-360N)

20 Units : D3552-23 B107728 Gas Spring (B6-190-475-070N)

Country of Manufacture : Canada

Date of Manufacture : March 2014

This product is ROHS compliant.

Purchase Order # 23465

Inv# 10945

L S Technologies Inc Canada

A handwritten signature in black ink, appearing to be 'Nolan Fehr', written over a horizontal line.

Nolan Fehr
President



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23465

Purchase Order Date 3/21/2014

PO Print Date 3/21/2014

Page Number 1 of 2

Order From :

VC-LST0001

Ship To : DART AEROSPACE LTD

LS TECHNOLOGIES INC.
314 JESSOP AVE
SASKATOON, SK S7N 1Y6
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FORMED
C/L 3/21/14

Contact Name

Vendor Phone

306 683 5000

Ship To Contact

Ship To Phone

Ship Via:

FedEx PI collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extend Pri
1	SSA4/8-122-310-360N	Gas Spring	3/27/2014 Yes 3/27/2014		20.00 Each	\$65.00	\$1,300.
AS PER DWG D3969-3 REV. C B114957							

Line Total:

\$1,300.

2 B6-190-475-070N

Door Prop

3/27/2014

Yes

3/27/2014

20.00

Each

\$32.50

\$650.

AS PER DWG D3552-23 REV. K
B115158

SP14-3-26

Line Total:

\$650.

Note:

3/21/2014